

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

OGZ-#3

Sample ID: G5E0009-06

Matrix: Industrial Hemp

Test ID: 5035650 Source ID:

Date Sampled: 04/30/25

Date Accepted: 04/30/25

Jefferson E-Commerce

rebekah@roguecloudco.com

Results at a Glance

Total THC: 18 %

Total CBD: <LOQ (0.002% wet) %

Total CBG: 0.42 %



Much Hunh



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

OGZ-#3

Sample ID: G5E0009-06

Matrix: Industrial Hemp

Test ID: 5035650 Source ID:

Date Sampled: 04/30/25

Date Accepted: 04/30/25

Jefferson E-Commerce

rebekah@roguecloudco.com

Potency Analysis

Date/Time Extracted: 05/01/25 11:18 Analysis Method/SOP: 215 Batch Identification: 2518056

Date/ I IIIIe Latia	00,01	/20 11.10		Analysis Method/30F. 213 Datch Identification. 2310030
Cannabinoids	LOQ (%)	% by Wt.	mg/g	Cannabinoids Profile
Total THC	0.036	18	180	
Total CBD	0.002	< LOQ	< LOQ	
Total CBG	0.0008	0.42	4.2	0.5
THCA	0.002	21	210	
delta 9-THC	0.002	< LOQ	< LOQ	
delta 8-THC	0.004	< LOQ	< LOQ	
THCV	0.005	< LOQ	< LOQ	
THCVA	0.002	0.082	0.82	
CBD	0.0005	< LOQ	< LOQ	
CBDA	0.0005	< LOQ	< LOQ	■ THCA 21.0 ■ CBGA 0.5
CBDV	0.005	< LOQ	< LOQ	THCVA 0.1 Total: 21.6
CBDVA	0.002	< LOQ	< LOQ	Total. 21.0
CBN	0.003	< LOQ	< LOQ	
CBG	0.0008	< LOQ	< LOQ	21.0
CBGA	0.0008	0.48	4.8	
СВС	0.009	< LOQ	< LOQ	

Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.

THCA, delta 9-THC, delta 8-THC, CBDA and CBD are accredited by TNI 2016 and ISO 17025



Much Hunh



503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Quality Control Potency

Batch: 2518056 - 215-Hemp

Blank(2518056-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0005	%		05/01/25 11:18	05/02/25 03:17	
delta 9-THC	< LOQ	0.0005	%		05/01/25 11:18	05/02/25 03:17	
delta 8-THC	< LOQ	0.004	%		05/01/25 11:18	05/02/25 03:17	
THCV	< LOQ	0.005	%		05/01/25 11:18	05/02/25 03:17	
THCVA	< LOQ	0.002	%		05/01/25 11:18	05/02/25 03:17	
CBD	< LOQ	0.0005	%		05/01/25 11:18	05/02/25 03:17	
CBDA	< LOQ	0.0005	%		05/01/25 11:18	05/02/25 03:17	
CBDV	< LOQ	0.005	%		05/01/25 11:18	05/02/25 03:17	
CBDVA	< LOQ	0.002	%		05/01/25 11:18	05/02/25 03:17	
CBN	< LOQ	0.003	%		05/01/25 11:18	05/02/25 03:17	
CBG	< LOQ	0.0008	%		05/01/25 11:18	05/02/25 03:17	
CBGA	< LOQ	0.0008	%		05/01/25 11:18	05/02/25 03:17	
CBC	< LOQ	0.009	%		05/01/25 11:18	05/02/25 03:17	

Reference(2518056-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	91.3	0.0005	%	90-110	05/01/25 11:18	05/02/25 12:27	
delta 9-THC	91.5	0.0005	%	90-110	05/01/25 11:18	05/02/25 12:27	
delta 8-THC	95.2	0.004	%	90-110	05/01/25 11:18	05/02/25 12:27	
CBD	97.1	0.0005	%	90-110	05/01/25 11:18	05/02/25 12:27	
CBDA	93.1	0.0005	%	90-110	05/01/25 11:18	05/02/25 12:27	





12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to SOP-402 and SOP-403 and following Sampling Plan FN117. Quality Control samples were tested as received.

Results do not include uncertainty of measurements. Available upon request.

AIM	Non-cannabis matrix related interference or suppression of Internal standard
BLI	Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
BLK	Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

Internal Standard concentration outside control limit due to matrix interference

manually for all samples.

